

DATA HASIL KEMAMPUAN MENYIMAK ANAK PRETEST

NO	Kelas Eksperimen (B2)						Kelas Kontrol (B1)									
	Nama	Pertanyaan					Total	Kereteria	Nama	Pertanyaan					Total	Kereteria
		1	2	3	4	5				1	2	3	4	5		
1	Vania	0	1	0	1	1	3	Cukup	Ainun	1	0	0	0	0	1	kurang baik
2	Iksan	1	1	1	1	1	5	sangat baik	Bil	1	1	0	0	0	2	kurang
3	Naila	0	1	1	1	1	4	Baik	Fahmi	1	0	1	1	0	3	cukup
4	Gina	0	1	1	1	1	4	Baik	Feby	1	0	1	1	0	3	cukup
5	Shiren	0	1	0	1	1	3	Cukup	Raisa	1	1	0	0	0	2	kurang
6	Almer	1	1	1	1	1	5	sangat baik	Ova	1	0	0	0	0	1	kurang baik
7	Ifa	0	1	1	1	1	4	Baik	Tiara	1	1	0	1	0	3	cukup
8	Geca	1	1	1	1	1	5	sangat baik	Naufal	1	0	1	0	0	2	kurang
9	Fairel	1	1	1	1	1	5	sangat baik	Zahdan	1	0	0	1	0	2	kurang
10	Rehan	0	1	1	1	1	4	Baik	Habib	1	0	0	0	0	1	kurang
Jumlah		4	10	8	10	10	42		Jumlah	10	3	3	4	0	20	
Rata-rata							4,2		Rata-rata						2	

LAMPIRAN OLAH DATA SPSS

T-TEST PAIRS=SesudahB1 SebelumB1 WITH SesudahB2 SebelumB2 (PAIRED)
/CRITERIA=CI(.9500) /MISSING=ANALYSIS.

T-Test

Notes

	Output Created	01-Dec-2023 19:05:01
	Comments	
Input	Data	D:\data sebelum dan sesudah fit.sav
	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	10
	File	
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
	Syntax	T-TEST PAIRS=SebelumB1 WITH SesudahB1 (PAIRED) /CRITERIA=CI(.9500) /MISSING=ANALYSIS.
Resources	Processor Time	0:00:00.000
	Elapsed Time	0:00:00.000

Paired Samples Statistics

	Mean	N	Std. Deviation	Std. Error Mean
Pair 1 Kontrol	36.00	10	12.649	4.000
Kontrol	38.00	10	14.757	4.667

Paired Samples Correlations

	N	Correlation	Sig.
Pair 1 Kontrol & Kontrol	10	.429	.217

LAMPIRAN OLAH DATA SPSS

Paired Samples Test

		Paired Differences		
		Mean	Std. Deviation	Std. Error Mean
Pair 1	Kontrol - Kontrol	-2.000	14.757	4.667

Paired Samples Test

		Paired Differences				
		95% Confidence Interval of the Difference				
		Lower	Upper	t	df	Sig. (2-tailed)
Pair 1	Kontrol - Kontrol	-12.557	8.557	-.429	9	.678

LAMPIRAN OLAH DATA SPSS

T-TEST PAIRS=SebelumB2 WITH SesudahB2 (PAIRED) /CRITERIA=CI(.9500)
/MISSING=ANALYSIS.

T-Test

Notes

	Output Created	01-Dec-2023 19:05:26
	Comments	
Input	Data	D:\data sebelum dan sesudah fit.sav
	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
	Syntax	T-TEST PAIRS=SebelumB2 WITH SesudahB2 (PAIRED) /CRITERIA=CI(.9500) /MISSING=ANALYSIS.
Resources	Processor Time	0:00:00.000
	Elapsed Time	0:00:00.015

[DataSet0] D:\data sebelum dan sesudah fit.sav

Paired Samples Statistics

	Mean	N	Std. Deviation	Std. Error Mean
Pair 1 Eksperimen	36.00	10	12.649	4.000
Eksperimen	84.00	10	15.776	4.989

Paired Samples Correlations

	N	Correlation	Sig.
Pair 1 Eksperimen & Eksperimen	10	.089	.807

LAMPIRAN OLAH DATA SPSS

Paired Samples Test

		Paired Differences		
		Mean	Std. Deviation	Std. Error Mean
Pair 1	Eksperimen - Eksperimen	-48.000	19.322	6.110

Paired Samples Test

		Paired Differences	
		95% Confidence Interval of the Difference	
		Lower	Upper
Pair 1	Eksperimen - Eksperimen	-61.822	-34.178

Paired Samples Test

		t	df	Sig. (2-tailed)
Pair 1	Eksperimen - Eksperimen	-7.856	9	.000

DATASET ACTIVATE DataSet0. DATASET CLOSE DataSet1.

Preetest kelas eksperiment



Preetest kelas Kontrol



Postest Kelas Eksperimen



Postestk Kelas Kontrol



